

⚠ This is a beta release of the new ATC Hazards by Location website. Please [contact us](#) with feedback.

📄 The ATC Hazards by Location website will not be updated to support ASCE 7-22. [Find out why.](#)

ATC Hazards by Location

Search Information

Address: 51 N Buncombe School Rd, Weaverville, NC 28787, USA
Coordinates: 35.7160521, -82.5577236
Elevation: 2208 ft
Timestamp: 2022-08-09T19:13:31.940Z
Hazard Type: Snow



ASCE 7-16

Ground Snow Load ⚠ 15 lb/sqft

The reported ground snow load applies at the query location of 2208 feet up to a maximum elevation of 2600 feet.

ASCE 7-10

Ground Snow Load ⚠ 15 lb/sqft

The reported ground snow load applies at the query location of 2208 feet up to a maximum elevation of 2600 feet.

ASCE 7-05

Ground Snow Load ⚠ 15 lb/sqft

The reported ground snow load applies at the query location of 2208 feet up to a maximum elevation of 2600 feet.

The results indicated here DO NOT reflect any state or local amendments to the values or any delineation lines made during the building code adoption process. Users should confirm any output obtained from this tool with the local Authority Having Jurisdiction before proceeding with design.

Please note that the ATC Hazards by Location website will not be updated to support ASCE 7-22. [Find out why.](#)

Disclaimer

Hazard loads are interpolated from data provided in ASCE 7 and rounded up to the nearest whole integer.

While the information presented on this website is believed to be correct, ATC and its sponsors and contributors assume no responsibility or liability for its accuracy. The material presented in the report should not be used or relied upon for any specific application without competent examination and verification of its accuracy, suitability and applicability by engineers or other licensed professionals. ATC does not intend that the use of this information replace the sound judgment of such competent professionals, having experience and knowledge in the field of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the results of the report provided by this website. Users of the information from this website assume all liability arising from such use. Use of the output of this website does not imply approval by the governing building code bodies responsible for building code approval and interpretation for the building site described by latitude/longitude location in the report.