Create opioid-informed and prepared communities

Improve appropriate use of opioids for nonmalignant pain


Reduce harm for those addicted to opioids

Improve management of opioid addiction as a chronic disease

Click on the blue text to access more information and resources







Solution Driver Diagram 2
Prevent people from

becoming addicted to opioids by improving appropriate management of acute and chronic pain

Improve appropriate use of opioids for nonmalignant pain

Click on the blue text to access more information and resources





Education and dissemination of CDC Guidelines for use of opioids in nonmalignant pain

Education about appropriate opioid and nonopioid pain management tailored for key specialties (primary care, orthopedics/surgery, dental)

Trauma informed emergency room care

Policies about appropriate prescribing at the health care system level

PMP use intergrated into EHRs

Integrate clinical decision about appropriate pain management and opioid prescribing into EHRs

Bright spot: Kaiser Permanente

Increase availability of alternative strategies for pain management in nonmalignant pain (including payment strategies to support modalities such as acupuncture)


Common messaging about pain management from medical and credentialling associations such as Joint Commission

Common messaging about patient experience (eg, HCAHPS)

Supportive reeducation

Peer to peer supports

Monitor for outliers (underprescribers and overprescribers)



## Solution Driver Diagram 4

Improve management of opioid addiction as a chronic disease Population: People already addicted to opioids

who can prescribe suboxone or vivitrol Increase number of Improve treatment patients/suboxone availability and use prescriber (SAMHSA) Scale up suboxone treatment groups (Revere) Self-management support Motivational interviewing Team-based care Improve management of opiate addiction as a Apply chronic care model to patients on chronic disease chronic opioids Chronic illness registries **SBIRT** Address social determinants up front Recovery Communities (eg NA, halfway Scale up strengthhouses) based and peer-to-peer supports for patients and families Al-Anon

Scale-up of providers

Click on the blue text to access more information and resources

